



Global Sealer Technologies

**ABBOTSFORD CONCRETE PRODUCTS**

# Elephant Armor

*the World's Most Amazing Cementitious Patch and Overlay Product!*

Available in Three Formulations:

- ASPHALT PATCH
- MORTAR
- DOT Industrial Grade

www.pavim.com

*Flex Without Failure*

Bridge Repair

Reinforced: Superior flexural and tensile strength as thin as 1/4" in ductility, allowing the overlay or patch to 'FLEX' without failure. 9 times the tensile strain capacity of other cement-based products. 3 times the bond strength of other fibers for superior crack resistance. Prevents the propagation of existing cracks through the surface. Resists de-icing salts, freeze/thaw cycles. High abrasion resistance.

**Elephant Armor™**



**Elephant Armor™  
Tools and Accessories**

[www.gstinternational.com](http://www.gstinternational.com)

# Elephant Armor™ For Best Results Use Elephant Armor™ Tools and Accessories



**9" and 18" Smooth Roller**



**9" and 18" Textured Roller**



**Expandable Aluminum Roller Frame**  
*(rollers not included)*



*Showing Expandable Roller Frame at 9" to 18"  
with 1/4" and 1/2" depth gauges*



**Aluminum Roller**  
**with 1/4", 1/2" and 3/4" Depth Gauges**



**1/4" and 1/2" Roller Depth Gauges**  
*for 9" and 18" rollers*

# Elephant Armor™ For Best Results Use Elephant Armor™ Tools and Accessories



**Elephant Armor™ Cure** provides an effective curing membrane that will dry to a clear (nonyellowing) membrane.



**Elephant Armor™ Primer** a high solids, acrylic polymer latex bonding agent specifically designed to be used with Elephant Armor™ on any concrete or asphalt surface



**GST 2 Gallon Pump-up Sprayer** for application of Elephant Armor™ Cure and Primer



**Elephant Armor™ Delay** to increase working time. (comes with measuring scoop)



**GST Sprayer Tips** for GST 2 gallon pump-up sprayer